

August 2. 1988

Mr. Vir Gupta Illinois Environmental Protection Agency Division of Air Pollution Control Permit Section 2200 Churchill Road Springfield, IL 62706

Dear Mr. Gupta:

Following up our meeting of July 27th, we would like to submit the following documentation for inclusion with our permit application for J. L. Clark-Atlas Tube Division:

Copies of the Material Safety Data Sheets for the coating products currently in use.

Coating consumption figures by line for the major use coating materials and the 1987 consumption for the minor colored coatings.

A revised page 15 for the thermal oxidizer permit application to reflect the emissions from the oxidizer.

A process diagram indicating the test points utilized

for demostrating our capture efficiency.

The calculations and formulas used to determine the capture efficiency at each coating and printing location.

We trust that this satisfies the agencies request for additional information with the exception of the toxic chemical constituents for the coating materials. We have contacted our suppliers and will forward this information to you when it is received. We would also request that the information submitted with this letter be marked as a confidential portion of our application as it is sensitive to our business.

Please review the enclosed and advise if any discrepancies are indicated. Please feel freee to call with any questions so that we can expedite your review process.

Sincerely,

James K. Klotz Chief Chemist

Gordon VerWeyst Ron Moreau

2300 Sixth Street, P.O. Box 7000 Anderson

Rockford, Illinois 61125

815/962-8861 FAX: 815/962-6356


# COATING CONSUMPTION

PRODUCTION LINE	COATINGS MAX	GALS/HR.CONSUMED
15	Sherwin Williams WC18	2
15	Watson Standard 10-084A or Hanna 3204B 5	4
25	Sherwin Williams WC18 or Hanna XR3784	1-1/2 1
Hinterkopf	Hanna XR3784	2-1/2
75	Hanna XR3784	1
85	Hanna XR3784	1
95	Hanna XR3784	1
2A	Sherwin Williams WC18	3/4
3A	Hanna XR3784	2
4A	Hanna XR3784	2-1/2
5A	Sherwin Williams WC18	2
<b>6</b> A	Hanna XR3784	3
7A	Hanna XR3784	1-1/2
<b>8A</b>	Sherwin Williams WC18 Watson Standard 10-084A or Hanna 3204B	3 2 3

# J. L. CLARK - ATLAS TUBE DIVISION SPECIAL USE COLOR COATINGS - 1987

# ANNUAL CONSUMPTION

Hanna XR3817	83	Gallons
Hanna XR3756	85	Gallons
Hanna XR3752	62	Gallons
Hanna XR3754	10	Gallons
Hanna XR1215	64	Gallons
Hanna 80496	38	Gallons
Valspar 3846-006	14	Gallons
Watson Standard 27-015	15	Gallons
Hanna 80563	21	Gallons
Hanna 80625	48	Gallons
Hanna XR3157	56	Gallons
Hanna XR3164	5	Gallons



$$20/x(9-0)+(7-8) =$$

Joseph Jandas

Calculatins

520.0	110.0	7/0.0	Onn Silvet les 0.010
975%	nes. 9	86+9	105.7 -1
ru.l	115.9	015.9	115.7 J
£00.0	7 <i>00'0</i>	100-0	Engraph low 0.002
158.4	115.9	072.9	115.9 1
As 8:15	ELS-9	11.5.9	EIS 9 3
070°0	120·0	, h10-0	210.0 (tom/+then InI
her;h	761.9	<u> (64.9</u>	46A.9 (
pse./4	8159	115.9	EIS'9 3
JEI'0	fb1'0	581.0	Ose Solvent Low 0.187
hert	764.9	164.9	46h.9 V
06 4.4	989.9	069.9	1899 0
710.0	1700	7/0.0	Engewher lost 0.017
Qh >	989.9	069.9	189.9
98h;h	LQL 9	z4·9	106.9 8
/Lh·0	165.0	F85·0	200.0 (two)thyon grasol
510.7	911.9	6119	550.9 H
1824	mg1.01.9	w\$ 202.9	W8 106.9 8
K#	= F	7#	
		•	

CAPTURE TESTS

# CAPTURE TEST (CON'T)

	#1 378 P	#2 3784	±3 WC 18	37 M
G-	6.501	6.498	6.500	4.318
A	6.099	6.119	6.116	4.04
Weight Dried Contra	0.402	0.379	0.384	0.313

Calculations Par formulas

# CAPTURE TEST

	# <u>5</u>	<u>#6</u>	<del>"</del> 2	#8
	<u>=</u> 4.487gm	6.449 sm	6.524 sm	3.620 gm
	4.021	5.931	5.962	3.126
Courting Weight (vet).		0.518	0.562	0.494
B	4.487	6.449	6.524	3,620
•	4.463	6.422	6.492	3.593
Exponition Law	-	0-027	0.032	0.027
•				
<b>C</b> .	4.463	6.422	6.492	3.593
<b>D</b>	4.333	6.294	6.362	3.482
Oven Solvent Loss	0.130	0.128	0./30	0.14/
E.	4.355	6.306	6.378	3.47/
	4.333	6.294	6.362	3.452
Ink Weight (met)		0.012	6.0/6	0.019
E	4.355	6. <i>3</i> 06	6.378	3.47/
F	4.352	6.302	6.376	3.468
Evaporation Last	0.003	0.004	0.002	0.003
F	4.352	6.302	6.376	3.468
6-	4.338	6.287	6.366	3.454

0.015

Oven Schrent Las 0.014

0.014

0.010

0.014 0.0240.014×1.00 = 8232 6.52 destruction	0.000 0.0024 0.000 X/100 = 8239 6287 600 trush	210.0 10.00+400.0 19.89 = 10.27 = 28.89.89	001X 44.0000 12.88 = 82.4 4.58 1.5.87 = 28.4 4.58	
%6.88 =	%55 <del>(</del> ) %55 ( <del>)</del> %7.%	1/54·8L 1/555 © 1/978 =	= 84.43 (1.08 = 53.x4.49	
Wietrop	@[\x\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	CUIX 851.0+(50.0	051.0 0.01 × 0.130	O HOW
			· ·	(diculations)
				Ruf oo
828.0	404.0	951-0	L18:0	Weight Dad
321.8	7965	186:5	120%	<i>b</i> ′
PZY.E	998.9	L82.9	888 /	9
ME	8175	(ins)	HOLD FAURE TON	

#### 1) Wood Furniture Coating

		<u>kg/1</u>	<u>lb/gal</u>
1)	Clear topcoat	0.67	(5.6)
2)	Opaque stain	0.56	(4.7)
3)	Pigmented coat	0.60	(5.0)
4)	Repair coat	0.67	(5.6)
5)	Sealer	0.67	(5.6)
6)	Semi-transparent stain	0.79	(6.6)
7)	Wash coat	0.73	(6.1)

(Board Note: The repair coat has overall transfer efficiency of 30 percent; all others have an overall transfer efficiency of 65 percent.)

#### m) Existing Diesel-Electric Locomotive Coating Lines in Cook County

	Futness	<u>kg/1</u>	<u>16/gal</u>
1)	Extreme performance prime coat	0.42	(3.5)
2)	Extreme performance top coat-air dried	0.52	(4.3)
. 3)	Final repair coat- air dried	0.58	(4.8)
4)	High-temperature aluminum coating	0.72	(6.0)
5)	All other coatings	0.36	(3.0)

(Source: Amended at 12 III. Reg. 7650, effective April 11, 1988)

# Section 215.205 Alternative Emission Limitations

Owners or operators of coating lines subject to Section 215.204 may comply with this Section, rather than with Section 215.204. The methods or procedures used to determine emissions of organic material under this Section shall be approved by the Agency. Emissions of volatile organic material from sources subject to Section 215.204, are allowable, notwithstanding the limitations in Section 215.204, if:

- a) For those sources subject to Section 215.204(b), the emissions are controlled by an afterburner system which provides:
  - 75% reduction in the overall emissions of volatile organic material from the coating line, and
  - 0xidation to carbon dioxide and water of 90% of the nonmethane volatile organic material (measured as total combustible carbon) which enters the afterburner.

- b) For all other sources subject to Section 215.204, the emissions are controlled by an afterburner system which provides:
  - 81% reduction in the overall emissions of volatile organic material from the coating line, and
  - 0xidation to carbon dioxide and water of 90% of the nonmethane volatile organic material (measured as total combustible carbon) which enters the afterburner.
- c) The system used to control such emission is demonstrated to have control efficiency equivalent to or greater than that provided under the applicable provision of Section 215.204 or subsections (a) or (b).

(Source: Amended at 12 Ill. Reg. 815, effective December 24, 1987)

Section 215.206 Exemptions from Emission Limitations

- a) The limitations of this Subpart shall not apply to:
  - Coating plants whose emissions of volatile organic material as limited by the operating permit will not exceed 22.7 Hg/year (25 T/year), in the absence of air pollution control equipment; or
  - 2) Sources used exclusively for chemical or physical analysis or determination of product quality and commercial acceptance provided that:
    - A) The operation of the source is not an integral part of the production process;
    - B) The emissions from the source do not exceed 363 kg (800 lbs) in any calendar month; and,
  - C) The exemption is approved in writing by the Agency.
  - 3) Interior body spray coating material for three-piece steel cans used by National Can Corporation at its Rockford can manufacturing plant in Loves Park. Illinois, provided that:
    - A) The emission of volatile organic material from the interior body spray coating line shall not exceed 0.70 kg/l (5.8 lb/gal) of coating material, excluding water, delivered to the coating applicator; and
    - B) The emission of volatile organic material shall comply with the provisions of Section 215.204 by use of the internal offset provisions of Section 215.207 computed on a weekly weighted average basis.

b) The limitations of Section 215.204(j) shall not apply to the Waukegan, Illinois, facilities of the Outboard Marine Corporation, so long as the emissions of volatile organic material related to the surface coating of miscellaneous metal parts and products at those facilities do not exceed 35 tons per year.

(Source: Amended in R85-21(A) at 11 III. Reg. 11770, effective June 29, 1987.

Section 215.207 Compliance by Aggregation of Emission Sources

a) Owners or operators of coating lines subject to Section 215.204 may comply with this Section rather than with Section 215.204. The methods or procedures used to determine emissions of volatile organic material under this Section shall be approved by the Agency in accordance with 35 Ill. Adm. Code 201. Emissions of volatile organic material from sources subject to Section 215.204 are allowable, notwithstanding the limitations in Section 215.204, if the combined actual emissions from selected coating lines at the coating plant, but not including coating lines or other emission sources constructed or modified after July 1, 1979. is less than or equal to the combined allowable emissions , as determined by the following equations:

$$E_{ALL} = \sum_{j=1}^{m} \sum_{i=1}^{n} (A_i B_i)_j$$

$$j = 1 \quad i = 1$$

$$E_{ACT} = \sum_{j=1}^{n} \sum_{i=1}^{n} (C_i B_i (1 - D_i))_j$$

b) A, shall be determined by the following formula:

$$A_1 = \frac{R_1}{1 - R_1}$$

c) As used in subsection (a) and (b), symbols mean the following:

 $E_{ALL}$  = the allowable volatile organic material emissions from the coating plant in kg/day (lb/day).

 $A_{1}$  = the allowable emission limit for a coating pursuant to Section 215.204 expressed in kg/l (lbs/gal) of coating solids.

 $B_1$  = the volume of coating solids in 1/day (gal/day), in a coating as delivered to the coating line.

m = the number of coating lines included in the combined emission rate. n = the number of different coatings
delivered to a coating line.

 $E_{ACT}$  = the actual volatile organic material emissions from the coating plant in kg/day (lbs/day).

C<sub>i</sub> = the weight of volatile organic material per volume of solids in kg/l (lb/gal) for a coating.

 $D_i$  = the control efficiency by which emissions of volatile organic material from a coating are reduced through the use of control equipment.

 $R_1$  = the applicable volatile organic material emission limit pursuant to Section 215.204, for a coating in kg/l (1b/gal).

 $S_{ij}$  = the density of the volatile organic material in a coating in kg/1 (1b/gal).

- d) The owner or operator of the coating plant shall maintain records of the density of the volatile organic material in each coating, the quantity and volatile organic material and solids content of each coating applied and the line to which coating is applied, in such a manner so as to demonstrate continuing compliance with the combined allowable emissions.
- e) Except for emission sources subject to Section 215.301 or 215.302, credits from emission sources at the coating plant that are subject to this Part, other than coating lines, may be given, to the extent that emissions are reduced from the allowable emission limits for such emission sources contained in either this Part, or any existing operating permit, whichever limit is less.

(Source: Amended at 12 III. Reg. 815, effective December 24, 1987)

Section 215.208 Testing Methods for Solvent Content

- a) The following methods of analyzing the solvent content of coatings, as revised from time to time, or any other equivalent procedure approved by the Agency, shall be used as applicable:
  - 1) ASTM D 1644-59 Hethod A
  - 2) ASTM D 1475-60
  - 3) ASTM D 2369-73
  - 4) Federal Standard 141a, Method 4082.1
- b) Transfer efficiency shall be determined by a method, procedure or standard approved by the USEPA, under the applicable new source performance standard or until such time as USEPA has approved and published such a method, procedure or standard, by any



# **Real Estate Sales Contract**

	WI industries, Inc. $Q$
l	purchase as a price of \$
ia _	DPage County, Illinois:
	ee Exhibit B attached hereto and made a part hereof.
	2300 Wisconsin Ave., Downers Grove. Illinois and with approximate lot dimensions
	2
	11 fixtures and personal property except as expressly provided herein.
	.L. Clark Manufacturing Co., an Illimois Corporation (Salle sail the real state and the property described shows, if gar, at the price and terms set forth herein, and so convey or cause to be successed to
Perchai subject wall rig not yet trust de	put to real value and the property accordable SPECARL WALTERITY deed, with redeset of homestead rights, if any, and a proper bill of mit only to: (a) covenants, conditions and restrictions of posted; (b) private, public and utility measures and read and highways, if any; (c) per to and agreements, if any; (d) existing leases and temperies (as listed in Schodule A attached); (e) special taxes or assessments for improvements mentioned; (f) installments not due at the date hereof of any aperial tax or assessment for improvements hereofore completed; (g) mortgage of specified below, if any; (h) general taxes for the year 1997 and rebesquent years including taxes which may access by reason of new (d) improvements during the year(s) 1998; and to
the pure	and that paid \$ 25,000.00 at cannot money to be applied on the purchase price, and agrees to pay or satisfy the behaves of an entries a precessions, as the time of closing as follows: (strike language and subparagraphs nor applicable)  51,350,000 after Due Diligence period expires
	payment or a second sec
(4) 	payment of \$ 1,638,750 plus or minus prorations, if any and the believe payable of follows: t closing by certified or cashier's check or by "Federal Funds" bank wire transfer.
_	
(" thi Flat Plat pay pau . Selie oca ma	morapaps (arest deed) insuch by the Chicago Title Insurance Company.  If a Schodule B is not attached and the blanks are not filled in, the note shall be secured by a trest deed, and the note and trust deed shall be it forms used by the Chicago Title and Thust Company.)  Inscriptioner of the bitle to the real extate by Purchauge of butter of a morapage or trust deed of record accursing a principal indebtedoes (which the baser [does] [does not] agree to assume) agreeating 5
<u> </u>	tions and Stipulations haraster becoming operative (whichever date is later), unless subsequently mutually agreed otherwise, at the office of
	agrees to pay a besture communicion to Darwin Realty & Development Corporation
	Darwin Realty & Development Corporation
	ited banefit of the parties. <del>The parts that Bollos, its beneficialistics or equips of Selber or of its beneficialist have received no varies; from any city, village or ormal</del>
	and susheriny of sould, volleting, lies or health code violations in respect to the real estate that have not been defeloire contected.
. A du	licate eniginal of this Contract, duly executed by the Seller and has spound, if any, shall be delivered to the Purchaser withindays from Select, when wine, at the Purchaser's Option, this contract shall become outland noid and the earnest money shall be extended to the Purchaser.
his con entrect. Jeted	on is subject to the Conditions and Stipulations are forth on the back page hereof, which Conditions and Stipulations are made a port of this contract is also subject to the Rider attached hereto and made a part hereof. See Exhibit A attached hereto and made a part hereof for signatures, addresses and date.
wenes	(Addmis)
/vehave	(AMem)
ieller	(AMPL)
سبطائ	(A <b>66</b> ms)
	the state of the s

#### CONDITIONS AND STIPULATIONS

- 1. Setter shall deliver or cause us be delivered to Purchaser or Purchaser's agent, not less than 5 days prior to the time of closing, the plax of survey (if one is required to be delivered under the terms of this contract) and a title commitment for an owner's tale tenurance policy issued by the Chicago Tate Insurance Company in the amount of the parchase price, covering title to the real estate on or after the date hereof, showing title in the intended gramor subject only to (a) the general enceptions contained in the policy, (b) the title exceptions set forth above, and (c) title exceptions persuning to liens or encumbrances of a definite or ascertainable amount which may be removed by the payment of money at the time of closing and which the Setter may to remove at that time by using the funds to be paid upon the delivery of the dead (all of which are herein referred to as the permitted exceptions). The title commitment shall be conclusive evidence of good title as therein shown as to all menters material by the policy, subject only to the exceptions as therein stated. Setter also shall furnish Purchaser an affidavit of title in customary form covering the date of closing and showing title in Setter subject only to the permitted exceptions in foregoing items (b) and (c) and supermitted exceptions or defects in the title disclosed by the survey, if any, as to which the title insurer committs to exact insurance in the resoner specified in paragraph 2 below.
- 2. If the title commitment or plat of servey (if one is required to be delivered under the terms of this contract) discloses either unpermitted exceptions or survey matters that render the title unsurfamable (herein referred to as "survey defects"). Seller shall have 30 days from the date of delivery thereof to have the exceptions removed from the commitment or to correct such survey defects or so have the title insurer commit to insure against loss or damage that may be occasioned by such exceptions or survey defects, and, in such overal, the time of closing shall be 35 days after delivery of the commitment or the time expressly specified in paragraph 5 on the front page hereof, whichever is later. If Seller fails to have the exceptions removed or correct any survey defects, or in the alternative, to obtain the commitment for title immance specified above as to such exceptions or survey defects within the specified time. Purchaser may terminate this contract or may elect, upon notice to Seller within 10 days after the expiration of the 30-day period, to take title as it then is with the right to deduct from the purchase price tiens or encumbrances of a definite or ascertainable amount. If Purchaser does not so elect, this contract shall become notil and without further action of the notice.
- 3. Rems, premiums under assignable innurance policies, water and other utility charges, fuels, prepald service contracts, general taxes, accrued inserest on moragage indebtedness, if any, and other similar issue shall be adjusted estably as of the time of closing. The amount of the current general taxes not then accertainable shall be adjusted on the basis of (a), (b), or (c) below (Strike subparagraphs nor applicable):
  - (a) 100 % of the most recent ascertainable taxes;

(h) The most recent ascertainable use	os and subsequent medjumment thereof pursuant to the ter	ma-of-representative-letter-exacted house-and-incorporated
herein by reference:		

The amount of any amount touce which may seems by masses of any prodictional incompany, shall be adjusted as follows:

All prorations are final unless otherwise provided herein. Existing lusses and assignable insurance policies, if any, shall then be assigned to Porchaser. Seller shall pay the amount of any stamp max imposed by State law on the transfer of the title, and shall furnish a completed Real Estate Transfer. Declaration signed by the Seller or the Seller's agent in the form required purbant to the Real Estate Transfer Tax Act of the State of Illinois and shall furnish any declaration signed by the Seller's agent or most other requirements as established by any local untinance with regard to a transfer or transaction tax; such tax required by local indinance shall be paid by the party upon whom such ordinance places responsibility therefor. If such ordinance does not no place responsibility, the tax shall be paid by the (Purchaser) (Seller). (Strike one.)

- 4. The provisions of the Uniform Vendor and Purchaser Risk Act of the State of Illinois shall be applicable to this contract.
- 5. If this contract is terminated without Purchaser's fault, the earnest money shall be returned to the Purchaser, but if the termination is caused by the Purchaser's fault, then exchanges notion of the Salles and applied first to the payment of Seller's exponest and them to payment of Seller's exponent of Sel
- 6. At the election of Seller or Purchaser upon notice to the other pury not less than 5 days prior to the time of closing, this sale shall be closed through an excrow with Chicago Title and Trust Company, in accordance with the general provisions of the usual form of Deed and Money Escriw Agroement then in use by Chicago Title and Trust Company, with such special provisions intered in the accrow agreement or may be required to conform with this contract. Upon the creation of such an excrow, anything herein to the contrary netwintestanding, payment of purchase price and delivery of dood shall be made through the excrow and this contract and the earnest money shall be deposited in the excrow. The cost of the excrow shall be divided equally between Seller and Purchase. (Strike paragraph if inapplicable,)
- 7. Time is of the essence of this contract.
- 8. All nonces herein required shall be in unting and shall be served on the parties at the addresses following their signatures. The mailing of a notice by registered or certified mail, resum receipt requested, shall be sufficient service.
- 9. Alternative 1:

Seller represents that he is not a "foreign person" as defined in Section 1445 of the Internal Revenue Code and is therefore exempt from the withholding requirements of said Section. Seller will formish Purchaser at closing the Exemption Certification set forth in said Section.

Ancoraire 2

Dumbater represents that the tenergeties at ecompt from the middebling requirements of Section 1445 of the Internal Revenue Code become Perchassiments by use the subject and equals up a qualifying existence-under sold Section and the solds price does not extract \$200,000.

Alternative:

With respect to Secretar 1445 of the Interior Revenue Code, the parties agree as follows:

(Strike two of the three abernatives.)

- 10.1A) Purchaser and Seller agree that the disclosure requirements of the Illiania Responsible Property Transfer Act (do) (do not) apply to the transfer contemplated by this contract. (If requirements do not apply, strike (B) and (C) below.)
  - (B) Seller agrees to execute and deliver to Purchaser and each mortgage lender of Purchaser such disclosure documents as may be required by the Illinois Responsible Property Transfer Act.
  - (C) Purchaser agrees to notify Seller in writing of the name and post office address of each mortgage fender who has issued a commitment to finance the purchase hereunder, or any part thereof; such notice shall be furnished within 10 days after issuance of any such commitment, but in no event less than 40 days prior to delivery of the deed hereunder unless waived by such lender or landers. Purchaser further agrees to place of record, simultaneously with the deed recorded pursuant to this comment, any disclosure statement furnished to Purchaser pursuant to paragraph 10(8) and, within 30 days after delivery of the deed hereunder, to file a true and correct copy of said disclosure document with the Illinois Environmental Protection Agency.

#### RIDER

Rider ("Rider") Attached to and Forming a Part of that
Certain Real Estate Sales Contract ("Contract") Between MXL
Industries, Inc. ("Purchaser") and J.L. Clark Manufacturing Co.
("Seller") for the Purchase of that Property Commonly
Known as 2300 Wisconsin Avenue, Downers Grove, Illinois ("Property")

- R-1 The ALTA Survey dated February 19, 1998 has been provided to Purchaser. Any additional surveys will at the cost of Purchaser.
- R-2 Environmental report dated March 3, 1998 has been submitted to Purchaser. Any additional reports or investigations will be at the cost of Purchaser.
- R-3 Notwithstanding anything to the contrary contained in this Contract, for a period of forty-five (45) days following the date of execution of this Contract (the "Due Diligence Period"), Seller shall grant Purchaser reasonable access to complete a thorough review of zoning and to complete any inspections Purchaser deems necessary including all work necessary to complete Phase II or Phase III environmental audits. Such inspections shall be at Purchaser's sole discretion and expense. Seller shall also deliver to Purchaser a complete copy of the AT&T Site Land Lease for inspection and review. If as a result of its inspection, Purchaser discovers the existence of any facts or conditions which, in good faith, Purchaser determines makes the property unsuitable for its use, Purchaser may terminate this Contract by written notice to Seller given no later than the last day of the Due Diligence Period. If Purchaser elects to terminate the Contract pursuant to this paragraph, Seller shall cause the earnest money to promptly be returned to Purchaser.
- R-4 Closing shall occur fifteen (15) days after the expiration of Due Diligence Period.
- R-5 The AT&T Site Land Lease shall be assigned by Seller to Purchaser.
- R-6 The orange compressor currently located at the Property shall be excluded from this contract and removed by Seller before closing.
- R-7 The parties hereby agree that executed copies of this Contract may be transmitted by facsimile or telecopier machine and such transmitted copy shall be deemed given when received and shall be deemed an originally executed document.
- R-8 The parties agree that in the event of a conflict with other provisions of this Contract, including other riders attached hereto, if any, the provisions set forth in this Rider shall control.

- R-9 Except as stated in R-14 or except as otherwise agreed by the parties during the Due Diligence period, Seller and Purchaser agree that Seller shall convey to Purchaser the real estate and personal property in an "as is" condition and that Seller makes no representations as to such real estate or the operating condition of, without limitation: all mechanical equipment; heating and cooling equipment; water heater; plumbing and electrical systems; kitchen equipment remaining with the premises; and any other personal property to be transferred to Purchaser.
- R-10 Notices. Any notices or other documents required or permitted to be given under the terms of this Contract shall be deemed delivered when received or one (1) business day after delivery thereof for overnight delivery to a nationally recognized delivery service (other than any delivery service provided by the United States Postal Service), whether actually received or not, addressed to the parties as follows:

#### If to the Purchaser:

MXL Industries, Inc.
1764 Roherstown Road
Lancaster, Pennsylvania
Attention: Steven K. Cliff, President and
Frank Yohe, Vice President

With copies to:

McKenna, Storer, Rowe, White & Farrug 200 North LaSalle Street, Suite 3000 Chicago, IL 60601-1083 Attention: Timothy J. Murtaugh, III

#### If to the Seller:

Clarcor Company
2300 6th Avenue
P.O. Box 7000
Rockford, Illinois 61125
Attention: John Paladino

#### With copies to:

Sidley & Austin
One First National Plaza
Chicago, Illinois 60603
Attention: Betsy J. Mukamal

or to such other address as shall be specified by like notice.

- R-11 Purchaser shall not assign or transfer any of its right, title or interest in and to this Contract except to GP Strategies Corporation without the prior written consent of the Seller.
- R-12 This Contract shall be binding upon and shall inure to the benefit of the parties hereto and their respective successors and assigns.
- R-13 Seller shall remove the oxidizer handling system and all duct work pertaining thereto at the rear of the building and all duct work pertaining thereto before closing.
- R-14 Seller will repair damaged exterior brick work near dock area and damaged post inside dock area before closing.
- R-15 Seller shall remove existing phone system before closing.
- R-16 Cawley Chicago Commercial Real Estate is the broker for the buyer and as compensation for its services will be paid a portion of the broker's commission paid to Darwin Realty and Development Corporation.
- R-17 For the purposes of the Uniform Vendor and Purchaser Risk Act of Illinois, buyer shall not be considered to have taken possession of the subject matter of the Contract until legal title has been transferred even though buyer has occupied 15,000 square feet of the property under the Use and Occupancy Agreement attached as Rider B to the Contract.

#### **UTILUMU**U

# Exhibit A

### (Signature Page)

#### Attached to Rider A

This contract may be executed in several counterparts, and a copy with several signature pages which together contain signatures for all parties shall constitute ane executed agreement.

Rockford, IL 61125

Executed as of this 26 day of June, 1998 Purchaser: MXL Industries, Inc. Address 1764 Roherstown Road Lancaster, PA 17601 Seller: J.L. Clark Manufacturing Co., an Address: Illinois corporation Print: JOHN P. PALADINO

Its: VICE PRESIDENT - CONTROllER c/o Clarcor Company 2300 6th Avenue P.O. Box 7000

## EXHIBIT B

Lot 1 in Frank Lopata Resubdivision of Lots 10, 11 and 12 in the Resubdivision of Lots 8 to 13, inclusive, in Ellsworth Park Unit Number 3 and Lot 24 in Ellsworth Park Unit Number 5, being a subdivision of part of the Southwest quarter and the Southeast quarter of Section 12, Township 38 North, Range 10, East of the Third Principal Meridian, in DuPage County, Illinois.

#### RIDER B

Use and Occupancy Agreement

Rider B ("Rider B") Attached to and Forming a Part of that
Certain Real Estate Sales Contract ("Contract") Between MXL
Industries, Inc. ("Purchaser") and J.L. Clark Manufacturing Co.
("Seller") for the Purchase of that Property Commonly
Known as 2300 Wisconsin Avenue, Downers Grove, Illinois ("Property")

- 1. Grant of License. Seller hereby grants to Purchaser a license to use and occupy 15,000 square feet at the Property.
- 2. Term of License. The term of such license shall commence upon the execution of this Contract and shall terminate at Closing (the "Term"). If Purchaser fails to close on the Closing Date or otherwise breaches any of the terms of this Contract or if Purchaser elects to terminate the Contract during the Due Diligence Period, this agreement shall terminate and Purchaser shall pay to Seller any amounts due for utilities., License Fee and any additional reasonable expenses and Purchaser shall vacate the Property upon twenty-eight (28) days written notice from Seller.
- 3. License Fee. Purchaser shall pay to Seller a license fee ("License Fee") of \$3,750.00 per month or a pro rata share for any partial months. In addition to the License Fee, Purchaser shall pay all utility bills and any interior maintenance costs incurred at the property during the Term directly attributed to the 15,000 square feet used and occupied by Purchaser.
- 4. No Transfer by Purchaser. Purchaser shall not transfer or assign this license except to GP Strategies Corporation, a Deleware corporation. Any such attempted transfer, conveyance or assignment made without the prior written consent of Purchaser shall be null and void and of no force and effect.
- 5. Condition of Property; Waiver/Indemnity. All personal property of Purchaser shall be at the sole risk of Purchaser. Neither Seller nor its agents or representatives shall be liable, and Purchaser waives all claims against said parties, for any loss or damage to person or property resulting from any accident, theft, vandalism, casualty or other occurrence in or about the Property, including but not limited to: damage from water, wind, ice steam, explosion, fire, smoke, chemicals, the leaking or bursting of pipes or sprinklers, defect, structural or nonstructural failure of any other cause. Purchaser agrees to indemnify and hold harmless Seller and its agents or representatives from any and all claims, demands, actions, liabilities, damages, costs and expenses (including court costs and reasonable attorney's fees) for injuries to all persons and damage to or theft of loss of property occurring in or about the Property

arising from Purchaser's occupancy of the Property or from any activity, work or thing done, permitted or suffered by Purchaser in or about the Property, or from any breach or default on the part of Purchaser in the performance of any covenant or agreement on the part of Purchaser to be performed under this Agreement or due to any other act or omission of Purchaser, its agents, representatives or invitees. If any such proceeding is filed against Seller or any such indemnified party, Purchaser agrees, upon Seller's request, to defined such proceeding at its sole cost and expense by legal counsel selected by Purchaser. Purchaser's obligation to indemnify Seller under Paragraph 5 of this Use and Occupancy Agreement attached as Rider B to that certain Real Estate Sales Contract referred to above shall survive the termination of this Agreement.

6. Insurance. In the event of loss or damage to personal property located at the property, Purchaser agrees to look solely to its insurance carrier for recovery of any resulting claims, and Purchaser hereby waives any claims against Seller or its agents or representatives as a result thereof.

### (Signature Page)

CHICHOL

## Attached to Rider B - Use and Occupancy Agreement

This contract may be executed in several counterparts, and a copy with several signature pages which together contain signatures for all parties shall constitute ane executed agreement.

Executed as of this 4 day of June, 1998 Purchaser: MXL Industries, Inc. Address 1764 Roherstown Road Lancaster, PA 17601 Seller: J.L. Clark Manufacturing Co., an Address:

Illinois corporation

By: John P. Paledeir Print: JOHN P. PALADINO

Its: VICE PRESIDENT-CONTROLLER

c/o Clarcor Company 2300 6<sup>th</sup> Avenue P.O. Box 7000 Rockford, IL 61125

## (Signature Page)

312 853 7036

This Contract may be executed in several counterparts, and a copy with several signature pages which together contain signatures for all parties shall constitute an executed agreement.

Executed as of this 26 day of June, 1998.

Purchaser:

MXI. Industries, Inc.

Print: 3 TEVEW K CLIFE

In PRESIDENT

Address:

1764 Roherstown Road Lancaster, PA 17601

Seller:

J.L. Clark Manufacturing Co., an Illinois corporation

Pring JOHN P. PALADINO

Its: VICE PRESIDENT -CONTROLLER

Address:

c/o Clarcor Company 2300 6th Avenue P.O. Box 7000 Rockford, IL 61125

# EXHIBIT B

Lot 1 in Frank Lopata Resubdivision of Lots 10, 11 and 12 in the Resubdivision of Lots 8 to 13, a subdivision in Ellsworth Park Unit Number 3 and Lot 24 in Ellsworth Park Unit Number 5, being a subdivision of part of the Southwest quarter and the Southeast quarter of Section 12, Township 38 North, Range 10, East of the Third Principal Meridian according to the plat thereof, recorded August 13, 1965 as Document R65-30445, in DuPage County, Illinois.

J. L. Clark - Tube Division Parm B 1991

		70	0.00 111 Trichloroethan	<b>Methylene Chlorid</b>	112 Trichbrol22Tr	Trichlaroethylene	Perchlaroethylene		•	Ethyl Alcohol	Methylene Charid	111 Trichbroethan	78			ocric Acid	â	Ĥ		뫭	=		portic Acid						<b>a</b> n			8		ene Oxide	ş	#	ene Oxide			뢉	
MISC NAME	000	0.00 Nethano	C.00 111 T	0.00 Methy	0.00 112 T	0.00 Trick	000 Perch	251.58 Phenol	0.00 Acetone	000 Ethyl	0.00 Hethy	E 111 050	0.00 Methanol	99	900	0.00 Phosphoric Acid	9.61 Zinc Comp	26.09 Zinc Comp	0.00 Lead	0.00 Chromate	95241.77 Abuninus	950	0.00 Phosphoric Acid	80	900	3	900	8	0.00 Abuninun	800	1.64 Lead	4.30 Chromate	8	0.00 Propylene Oxide	32.78 Chromate	2.33 Chromate	0.00 Propylene	93	000 Lead	0.00 Chromate	
<b>₩</b>		83	8.0	3	0.55	S.	8	3	0.45 0.45	걸	25	3	3			훒	Ş	3	27 17		83 83 84		용						3		200	3		3	용	3	3		3	8	
	000	000	900	3	000	8	800	3	80	9	873	3	3	3	3	9	8	8	80	870	900	80	9	3	9	9	9		<b>8</b>	3	900	3	8	9	3	8	8	3	8	95	
**		28							3																	3		3					됨								
TRIDIET	2.8	8	97	3	900	용	3	20.5	90	3	3	9	9	9	8	9	8	870	8	93	8	9	3	80	850	8	3	3	3	3	8	3	3	9	8	8	8	8	8	9	
	S.							3																																	
PORKALD	97	900	9	3	9	8	3		9	3	99	3	3	3	9	3	900	900	9.00	900	900	900	900	900	90	3	90	3	3	3	3			3	3	3	8	9	3	9	
*								8																									용	3							
BITHYL B	214	89	8	3	8	3	용	8	용	용	8	3	3	용	8	울	8	8	3	99	8	8	3	ş	3	3	8	3	8	3	8	3	8	3	3	용	3	3	8	3	
	90																																								
Rapthale	900	8	900	3	3	3	<b>9</b>	9	87	3	3	3	9	9	80	90	900	900	900	0.00	900	900	900	3	000	9	9	ŝ	9	3	3	용	83	9	8	88	3	8	3	900	
×																																									
TT.ER			8	3	3	3	多	131.79	3	3	울	<b>§</b>	3	3	3	8	8	85	8	90	8		_	舞	8	8	8				3	3		3	9			9	3	ģ	
	3	얼						물															3	쭝	83	3			3	3			3				3				
GLYCOL	8	80	3	80	8	8	900	20.T3	9	3	3	3	3	90000	1296.00	90	80	0.00	900	99	900		9	960						8		3	3	3	8	9	8	9	8	3	
~								끙						3	<u> </u>							0.15	3		3	0.10	2		0.13	3	3		3								
TOLUMBIR	23	8	중	8	8	3	8	3	8	3	3	3	3	3	8	용	8	8	8	겷	8	3	8	8	8	各	99	3	9	3	8	홍	3	3	3	8	9	3	3	3	,
]	8	0;3 0;3							9. 83.													S.											7. 1.								
	8	8	8	3	를	3	3	135 25 25 25 25 25 25 25 25 25 25 25 25 25	3	3	多	3	3	3	3	8	8	多	8	8	9	3	8	8	8	3	3	3	3	ş	8	뎔	3	3	물	3	3	3	3	3	;
<b>₩</b>		6.3 6.3						3	3													0.15	9.38		R								3				3				
BUTANOL	3	3	9	3	9	ş	900	8	9	3	3	3	3	9	9	93	9	99	99	9	8	9	900	3	90	9	93	3	90	3	9	3	3	99	1531	181	3	9	80	3	•
æ		ş							3													뎔	3		0.15	ള									9	3		3			
j j	6.49	10.48	10.48	<b>\$</b>	10.48	9.48 10.48	10.48	€.	<b>2</b>	<b>3</b>	<b>5</b>	<b>2</b> 2	<b>3</b> 2	8:	81	14.06	9.15	ដ	11.84	<b>1</b> 28	<del>2</del>	22 22	<b>3</b>	11.56	<b>8</b> ;	9	8. II	8	<b>%</b>	<b>3</b>	11.37	1	Z.	11.57	10.2 10.2	10.3	Ę	10.03	10.14	10.14	:
CONSUMPTIVITY GAL	165,00	9	_	3	9	8	000	980,00	9	9	9	3	8	00°00	1296.00	9		35.00			962339.00	90	900	000000		900	000	4010,00	900	용	93	3	90	90	8,29	15.00	9	9	8	8	•
PRODUCT	Mineral Spirits	BC Nined Chlorinate						Gold Conting 10-084	Blend 6547	•	•			Gyod Riber 198	Glycol Enter 139	Phosphoric Acid	Derer Capd B31P	Derer Cape 313	PMS 109 Tellow		Abrainus	Gold Boory 50(100)	251-22 PPO	GTZWC18	3846006	Gold 27-015	Gycol Bither 88		Gold RXP 1199	Transparent Gold EX	Desener Yellow		H-17 Tube Lining	PMS 427 Gray Tube	PMS 102 Tellow	120-c Yellow	White Edward 1215	Lavender IR3754	Orange IB3752	•	

01-Sep-92

int Gold XR2943C 10% Modaflow Soln	0.00	8.43 7.36	0.01	0.00	0.00 0.00	0.00 0.00	0.00 0.00	0.00 0.90 <b>0.0</b> 0	0.00 0.00	0.00 0.00	00.0 00.0 00.0	0 <b>70</b> 0 0 <b>70</b> 0	0.00 0.00	0.00
TOTAL				14.78	1523.91	7121.15	3369.99	4196.63	0.00	2.14	31.63	404.43	6380.37	0.00 0.00

.

•

.

J. L. Clark - Tube Division Form R 1995

. .

Form R 1995																							
PRODUCT	ISSUE	UNIT OF MEASURE	WEIGHT/ UNIT	TOTAL	TOTAL CONSUME	% BUTAI	VOL %	MIBK	% TO	DLUENE	. % G	LYCOL E	% XY	LENE	% NAPTHA	L % ETHYLBI	EN % FORMAI	D % TRIMET	H % METHETH	нн ‰ д	LOMINOR	A % MISC	NAME
***************************************																			** **********				
374-C27-5020 H23 Lining	06-16-92	GAL	7 52	673	5,061		0 0 038		2 0 139		0.061		6.011	56			•			0		D <u>D 383</u> 19.	
374-C27-4033 XR 3164	09-01-92	GAL	8 05	47	378		0	9	2	0		0	0.022	8		0	0	0 0091		8			0 Vinyl Acetar
375-W27-5029 Peel 3817	03-14-89	GAL	9.57	0	2,642		0	,	,	0		ŭ		0		0	0	0	7	0		,	0
222-Y27-2011 Desenex Yellow	05-16-90 05-16-90	GAL GAL	1169 1169	226 226	2,642		0	,	, 1	0	, 1	ő		ŏ		0	0	0	•	0			98 Lead 34 Chromium
222-R27-2012 ROSE	05-05-94	GAL	11.8	102	1,204		ŏ	Ċ	5	ō	i	ō		ō	0 017 2	0	ō	0 0010		ō			0
222-Y27-2008 BR YELLOW	04-15-93	GAL	11.32	311	3,521		ō	Ċ	5	ō	ı	0		0	0 019 6	7	٥			ŏ		5	0
375-227-5048 XB2666 AAL	06-21-94	GAL	8 31	0			0	(	ו	0	1	0		0	1	-				0		0.001	0 Vinyl Acetal
375-E27-0006 AL ADD	11-14-94	GAL	8,11	24	195		0			0	1		0.013	3		0				0 0016	:	3	υ
PE 1090	04-10-95	GAL	7 68	652	5,007		0 0 050	250		501			0.050	250		0	0 0001	5	-	0		0 350 175	
XR1215 INTERNAL LINING	07-29-88	GAL	8.07	0			0 0010			15977		0	0 526	0		0	0	0	:	0			0 Propylene
660 SOLVENT	- 12-11-93 11-15-85	GAL GAL	7 01 6 73	4,070 987	28,531 6,643		0			138//		0		ŏ		0	n	0	-	0		0 0 440 1255 0 1 000 664	
MINERAL SPIRITS	04-08-86	GAL	5.49	110	714		ő	č	5	ŏ		ŏ		ō	i	0	ō	ŏ	-	o o		1000	0 MEN
GLYCOL ETHER DB ACETATE		GAL	8.18	450	3 681		ō	Č	)	0	1 000	3551		0	1	Û	0	Ö	Ó	ō		í	0
GLYCOL ETHER EB ACETATE		GAL	7 85	919	7,214		0	0	)	0	1 000	7214		0		0	0	0	0	U			ŏ
2300 VINYL REDUCER	07-00-65	GAL	7.61	0	0		0	C	-	0		0		0		0	0	0	-	0	(	•	o
111 TRICHLOR	04-08-86	GAL	10.82	0	0		0			0		0	0.040	148		0			0	0			0 111 TCE
10-084CF INTERNAL LINING -		GAL	7.49	1,100	8,239		0 0.207	1705		0	D 115		0.018 0.050	148		U D	0 0.005			0	(		4 Phenol
G72-WC-18 WHITE VINYL	01-27-81	GAL GAL	11 56 12 49	0			0			0	0.100	ŏ	0.050	ň		Ď	n	0 0.050	7	0	(		0 Propylene 0 Berszene
379W67 WHITE POLYESTER 1170 ALLOY ALUMINUM	11-00-85	LBS	1.00	855,731	855,731		ő	ď	í	ŏ	0.100	ŏ	0.050	ō		Ď	ō	0	-	0 1000	855645		0 Bertzene
IT-404-077	07-06-88	GAL	8.20	0	0		ō	ā	)	0	0 650	0	0.300	0		0	0	0	Ó	0	(	Ó	o o
DAREX 313	08-04-92	GAL	9.32	110	1,025		Ó	0	)	0		0		0	(	0	0	0	0	0	Ċ	0 005	5 Ammonia
		GAL	9.32	110	1,025		0	0	)	0		D		0	9	D	0	0	0	0	(		2 Zinc Cmp
DAREX B-31F	01-26-89	GAL	9.15	65	595		0	0	)	0		0			,		0	0	0	0	9	0.000	3 Ammonia
		GAL	9.15	65	595		Ŏ			ŭ		Ÿ		ŏ	0.017 137		0	0	0	0	9	0 070 4	2 Zinc Cmpd
220-W27-1024 WHITE 867-W27-7009 DUO WHITE	03-29-93 02-04-93	GAL GAL	11.82 9.98	6,842	80,872		0	,		ŏ	0.065	ŏ	0.209	ň	0.017		0	0	0	0	,	,	0
375-W27-5017 WHITE	01-21-93	GAL	8.08		a		0 0.001	ŏ	í	ŏ	0.000	ŏ	0.428	ō	Ċ		ō	ŏ	o .	ŏ	,	0.002	0 Vinyl Acetat
VY8M80563A	07-28-88	GAL	10.24		ŏ	0 013	0	Č		0		ō		0	(	כ	Ó	Ö	0	ō			0 Chromium
375-W27-5028 WHITE	05-03-91	GAL	11.65		0		0	0	1	0		0		0	(	)	0	0	0	0			O Propylene
375-W27-5029 WHITE PEEL	04-26-91	GAL	9.57		a		0	0	1	0		0		0	9	?	0	Q		0		0.001	0 Vinyl Acetal
JLC1130 C/T WHITE	06-14-90	GAL	12.66		0	0.013	0	0	2	0		0	0.064	0	,	2	0	0	-	0	9		0
XR 3756 GREEN	07-29-88	GAL	10.20		0		0	9	!	0		0		0		, 1	0	0		0			0 Lead
VL8M80754 LT BLUE PEEL	07-28-88	GAL GAL	10.20 9.59		0		0	,	,	n				ő	č	, 1	o o	n		0	,	0 002	0 Chromium
VY8M81232 PMS 109 YELLOW	07-26-66	GAL	11.84		ő		o o	0		ő		ő		ŏ	Ċ	5	Ö	ŏ		0	Č		0
VGBMB1231 PMS 333 GREEN		GAL	11 23		ō		Ď	ō	,	Ó		ō		0	(	3	0	0	0	υ	č		ö
KOLACK V1021	09-07-92	GAL	7 49		0		0	0	1	0		0		0	(	)	0	0	0	0	0		υ
ANTI OXIDANT Z99-00-5569		GAL	6 57		0		0	0		0		0		0	(			0		0	C	1 000	U IPA
SOLVENT 1902	07-00-84	GAL	7 58		0		0	0		0		0		0	(	•	-	0		0	0		0
BASF DRIER 87E-598	07-15-85	GAL	7.20		0		0	0		U		Ü		0	(	•	0	0		0 .	C		0
BASF HARDNER 86E-1242 379W78 WHITE	07-15-85 01-22-93	GAL GAL	7 20 12 53		Ů		0			0	0 150	ň		ñ	(		•	0 0 050		0			D .
379W31 WHITE	04-10-90	GAL	12 36		0	0.024	ō	ñ			0.05	ő	0.018	ŏ	Ċ		0 0 001	0	-	Ď	č		n n
CARBITOL SOLVENT	04-08-87	GAL	8 53		ō		ō	ŏ			0 720	ō		0	(	)	0	Ō	0	0	d	0.280	D Ethylene Gr
PHOSPHORIC ACID	02-18-86	GAL	14 06		0		0	0		0		0		0	(	)	0	0	0 (	Ü			) Phosphone
G72WC20 TUBE ENAMEL	02-19-91	GAL	11.66		0		0	0		0		0		0	(		0	0	•	0			3 sec-Butyl Al
93500 CLEAR	02-01-92	GAL	8 63		0		0	0	0 030	0		0		0	(		0	0	•	0			) Acetone
001061 0: 540 : 450 : 55	00.04.00	GAL	8 63				0	0	0 120	0		0	0.030	0	ſ		0	0	0 (	0			0 111 Trichlor 0 Acetone
091951 CLEAR LACQUER	02-01 92	GAL GAL	8 42 8 42		U		0	n	0 120	0		ñ	502	0			0	o o	0 1	n n		0.080	
3846044 GOLD ENAMEL	04-30-92	GAL	7.90		0	0 023	0 0300	ō		0	0 250	ő	0 021	ő	č		0 0010	ō	o d	0			) Phenoi
27-015 GOLD	05-09-85	GAL	8 00		ō		0	ō			0 096	0	0.089	0	0	)	0	0	0 (	0		0.261	
10-084 AT THINNER	05-09-85	GAL	7 60		0		0	a		0	0 259	0		0	(		0		0	0	0		)
TOOL STEELS	04-00-91	LBS	1 00		0		0	0		0		0		0	(		0	•		0 0020			7 Chromium
		LBS	1 00		0		0	0		0		0		0	(	•	0		0 (	0			) Coball
		LBS	1 00		0		0	U		0		0		0	ì	•	0	•	0 (	0			Copper
		LBS LBS	1 00 1 00		0		0	n		0		n		ő	(	•	0	0	0 1	n			Manganese Nickel
		LBS	100		ů		o o	ō		ō		o o		ŏ	ō		0	Ö	0 6	0			Selenium
5041044 GOLD	09-22-86	GAL	6 99		ō	0.050	0 0 150	ŏ	0 350	ō	0 150	ō		0	Ċ	)	ō	U	0 0	0	Ü		
IMPROVED POWER PLAY	05-00-87	GAL	9 02		0		0	0		D	0 120	0		0	C	•	0		0 , (	0	0		3
TASKMASTER STAINLESS	04 27 87	GAL	7 83		0		0	0		0		0		0	0	•	0	0	0 (	0	Ú	J 300 I	3-311-1CE
ETHYL ACETATE	01-00-83	GAL	7 50		0		0	0		0		0		0	(	,	U O	U	0 (	D	G	0.000	)
DAREX OILPROOF W9113S	11-12-85	GAL	9.07		0		0	0		0		0		Ü	(		0	n .	0 (	u n	3		) Ammonia J Hydrochlor
HYDROCHLORIC ACID NITRIC ACID	ND 08-07-78	GAL GAL	991		n		0	0		מ		0		ŏ	(		-	0	0 (	n			i fythac Acid
CEMENTED CARBIDE NICKEL		LBS	1 00		0		ō	ō		ō		Ü		ō	č		O	0	0 .	j			Nicke!
		200			•																		

																	Q-7307 F1
CAST COBALT ALLOY	11-22-85	LBS	1 00		0	0	0	D	0	0	0	0	0	0	0	0 0 500	0 Cobalt
CAST COURT		LBS	1 00		0	0	D	0	0	0	0	0	o o	0	0	0 0 320	0 Chromium
	11-00-85	LBS LBS	1 00		0	0	0	0	0	0	0	0	0	0	0	0 0 030	0 Manganese
MILD STEEL ELECTRODES	11-00-05	LBS	100		ŏ	ŏ	ŏ	ő	Ö	ŏ	ŏ	ő	0	o o	0	0 0.041 0 0.300	0 Månganese 3 Chromium
·		LBS	1 00		ō	0	ō	Ō	0	0	0	ō	0	ŏ	ŏ	0 0 490	0 Nickel
		LBS	1 00		0	0	0	0	0	0	0	0	0	0	0	0 0014	D Copper
WELCO 15-15EC	11-25-84	LBS LBS	100		0	0	0	0	0	0	0	0	0	0	0	0 0 600	0 Copper
THE STATE	08-14-86	LBS	100		0	ă	ŏ	0	ŏ	ŏ	ŏ	č	Ö	0	0	0 0 400 0 1 000	0 Zinc 0 Zinc
ZINK BEHENATE ZINC STEARATE	00.01.00	LBS	1 00		ō	ŏ	ō	ō	ŏ	Ö	0	ō	ō	ŏ	ů	0 0 900	0 Zinc
ZINC STEARATE CEMENTED CARBIDE COBALT	05-01-89	LBS	1 00		o	٥	0	0	0	0	0	Ō	0	0	0	0 0.250	0 Cobail
CERC		LBS	1 00		0	0	0	0	0	0	0	0	0	0	0	0 0 025	0 Chromium
BRAZING ALLOY	04-01-86	LBS LBS	100		0	0	0	0	0	ů	0	ů	o o	0	0	0 1000	0 0 Соррег
COPPER	04-01-86	LBS	1 00		ō	ō	ŏ	ō	ō	ō	0	ŏ	ŏ	ŏ	0 0 0 60	0 0 050	U Manganese
TITANIUM		LBS	1 00		0	0	0	0	0	0	0	0	0	0	0	0 0 0 0 0 0	0 Chromium
		LBS	1 00		0	0	0	0	0	0	Ü	0	0	0	0	0 0 025	0 Copper
SOS STEEL	04-01-86	LBS LBS	1 00 1 00		0	0	0	0	n n	D	0	0	Ď	0	0	0 0.008	0 Nickel 0 Chromium
STAINLESS STEEL		LBS	1 00		ō	ō	ō	ō	ō	ō	0	ō	ő	ő	ŏ	0 0 270	0 Nickel
<b>1</b>		LBS	1.00		0	0	0	0	0	0	0	0	0	0	0	0 0 0 0 0 0	0 Manganese
		LBS	1 00		0	0	0	0	0	0	0	0	0	0	٥	0 0 060	0 Copper
200	04-01-86	LBS LBS	1.00		0	0	0	0	0	0	n	ů	0	0	0 0 020	0 0020	0 Cobait 0 Nicket
ALLOY STEEL	04-01-00	LBS	1.00		ŏ	ő	ŏ	ő	ŏ	ŏ	Ö	ŏ	ő	ŏ	0 0020	0 0050	0 Chromium
<b>.</b>		LBS	1 00		0	o	0	0	0	0	0	0	0	0	o	0 0 020	0 Manganese
		LBS	1 00		0	0	0	0	0	0	0	0	0	0	0	0 0 0 1 0	O Copper
The second secon	04-01-86	LBS	1.00 1.00		0	0	0	0	0	0	0	Ö	0	0	0 0 0997	0 0 0 1 0 0 0 1 0 0	0 Lead 0 Copper
ALUMINUM ALLOYS	04-01-00	LBS	100		ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ō	ŏ	ŏ	Ö	0 0 22	0 0 020	0 Copper 0 Manganese
<b>9</b> .		LBS	1 00		ō	0	0	0	0	0	0	0	Ó	0	Ö	0 0 020	0 Cobalt
Ãr ÷		LBS	1.00		0	0	0	0	0	0	0	0	0	. 0	o o	0 0 100	0 Zinc
		LBS LBS	1.00 1.00		0	o o	0	0	0	0	0	0	0	0	0	0 0.005 0 0.005	0 Chromium 0 Nickel
<b>.</b>		LBS	1.00		Š	ő	ő	o o	š	ŏ	ō	Š	Š	Ö	Ď	0 0005	0 Lead
CARBON STEEL	04-01-86	LB\$	1.00		0	o	Ó	Ó	0	0	0	0	Ô	Ö	0 0.010	0 0 020	0 Manganese
· <del></del> -		LBS	1 00		0	0	Ō	Ō	0	0	0	0	0	0	0	0 0.010	D Lead
BRONZE	04-01-86	LBS	1 00 1 00		0	0	0	0	0	0	0	0	0	0	0 0 140 0	0 0 990	0 Copper
		LBS	1.00		0	o o	ŏ	Ö	0	ő	Ö	Ö	0	0	0	0 0040	0 Nickel 0 Manganese
्रह् <sub>य</sub> े		LBS	1 00		ŏ	ŏ	ŏ	ŏ	ō	ō	ō	ō	ō	ŏ	ŏ	0 0 0 20	0 Cobatt
- A		LBS	1 00		0	o	0	0	o	0	0	0	0	0	0	0 0010	0 Zinc
	04.04.00	LBS	1 00 1 00		0	0	0	0	0	0	0	0	0	0	0	0 0010	0 Lead
BRASS	04-01-86	LBS	1 00		0	n	ň	0	o o	n	o o	n	ő	o o	0	0 0 700	0 Copper 0 Zinc
		LBS	100		Ö	Ď	ŏ	ō	ō	ō	ō	ō	ō	ō	ő	0 0040	7 Lead
NICKEL BASED ALLOY	04-01-86	LBS	1.00		0	0	0	0	0	0	0	Ō	0	0	0 0 050	0 0 480	) Chromium
		LBS	1 00		0	0	0	0	0	0	0	0	0	0	0	0 0 680	∪ Copper
<b>%-</b> ··		LBS LBS	100		0	0	0	0	0	0	0	Ď	0	0	0	0 0 150	0 Cobalt 0 <b>Manga</b> nese
<b>2</b> 2		LBS	100		o o	ă	ā	ă	ō	ŏ	ū	ŏ	ō	ä	Ö	0 0 990	0 Nickel
150 SOLVENT	04-10-86	GAL	8 22	110	904	0	0	0	0	0 0090	81	0	0	0	U	0	U
KOLACK WHITE A 4811	09-07-92	GAL	9 98	1400	0 0 046	0	0	0 0041	0 0004	0	0	0	0	0	0	O O	0
SP-1103 WAX	07-01-86 07-31-91	LBS LBS	1 00	1100 1,1 2640 2,6	100 540	0	0	0	0	0	0	0	0	0	0	0	n n
IL 320-1528/45	08-25-93	GAL	8 65	2,540		ŏ	ŏ	ŏ	0 0610	ō	ō	ō	ō	Ď	ő	Ü	9
66-C27-0003 DUO CLEAR	09-22-93	GAL	8 05			ō	0	0 0 237	0	0	0	0	0	0	ō	19	J
527 5081041 GOLD	12-14-90	GAL	7 34		0.05	0 015		0 015	0 005	0	0 001	0	0	0	0	5	d
RESINOID BONDED GRIND W	1 02-11-92 06-30-92	LBS LBS	100			0	0	0	0	0	0	0	0	Ü D	0 0 900 0 0 600	U G	(I
GRIND-O-FLEX 375-W27-5026 Vinyl White	01-03-95	LBS	10.04	277	0.011	0	ŏ	0	0 001	0 001	ŏ	ŏ	0 004	Ö	0 000	ő	5
CERTANIUM 701 ALLOY	06-23-88	LBS	1 00		0	ō	0	0	0	0	0	0	0	0	0	2 3 5 10	0 Manganese
4 . ==																	
2.5		TOTAL				0.0	21482	17181 4	12156.3	465 2	1543 6	00	44 6	488.2	8.3 /8556	2484- 1 207	505.8
		IOIAL				0.0	21402 (	-1/1014	12190.3	405 2	1343 0	00	440	400 2	°' < <u>C"</u> 2	230 ===	31710
Waste Solvent		GAL	7.01	1.705	952 165.		0.56	6693								3 44	525's Acetone
Tess 8% fugitive			7 01	722 5.0	061		0 56	/ 2834									2227 Accione
_								(									
•								1 200									
								Moluen									
								10 villa	ı							107336	I = WEK
																$(U \supset J)$	<i>p</i>

10334 = WEK 12554 - Neetous MEK = 11182

s - Tube Division в й 1935

186 Lead
29 Chromium
2 Propylene Oxide
[1200 Acetone]
7349 MKK 108 111 TCB 264 Phenol 86 Propylene Orade 6 Chromium O Propylene Oride O Vinyl Acetate O Vinyi Acetate Vinyl Acetate 9 Abmonia 149 Zinc Cup 1 Annonia 10 Zinc Cupd NAMB MESC 0 0.075 0 0.013 0 0.005 0 0.440 0 1.000 0 1,000 0 0,040 0 0,005 0 0,050 0 0.005 0 0.080 0 0.005 0 0.005 0 0.002 0 0.033 0 0.002 0 0.001 0 0.003 ONIT OF WEIGHT/ TOTAL TOTAL NEW X BUTANOL X MIBK X TOLUBAR X GLYCOL X XYUBAG X MAPTHAL X BTHYLBR X PORMALD X TRUNSTH X METHETH X ALUMINUM X MEASURE UNITS CONSUME X BUTANOL X MIBK X TOLUBAR X GLYCOL X XYUBAG X MAPTHAL X BTHYLBR X PORMALD X TRUNSTH X METHETH X ALUMINUM X 0007 0 0.015 0 0.091 250 24 0 0.016 5650 0.300 0 0.20 0 0 0 0 0 **35**0 0.133 84592 84592 14864 1,864 137 137 137 51,925 22,28 1,080 1,080 1,180 LT BLUIS PRELAGATORS PHS 133 CRESSA CX VIU21 09-v1-32 UNT 29-v0-4563 902 07-00-44 R 878-386 07-15-55 NKS 868-1242 07-15-55 TR R VINN 09-01-32 COATING 03-14-89 DES. YELLGW 05-16-30 , reduces 07-00-86 Jor 04-08-86 Ternal Liningol-20-90 White vinyl, 01-27-81 29 Whit's Perch - 25-33-41
29 Whit's Perch - 25-31
T Whit's 06-14-30
1864 07-25-88 PERAL LINING 07-25-88 NT 04-00-86 PERITS 04-08-86 Then de aceta 03-09-87 Then es aceta 04-08-87 ITB POLYESTER 7 ALUKLNUM 11-00-85 24 WHITE 02-08-93 09 DUG WHITE 02-04-93 17 WHITE 01-21-93 11-15-85 04-08-86 学-李8 69-32-10 01-21-33 37--¢5-€

33

HITE	04-10-90	GAL	12.3ô		0 0.024	0	0	0 0.013	0 0.018	0	0	0 0.001	0	0	0	0	٨
, SOLVENT	04-68-87	CAL	8.53		0	0	Õ	0 0.720	0	Ô	Ŏ	0	Ô	Ô	Ö	0 0.280	0 Bthylene Glycol
RIC ACID	02-18-66	GAL	14.06		Ŏ	0	Ŏ	0 01,22	0	ñ	Ŏ	0	0	Ô	Ö	0 0.850	O Phosphoric Acid
TUBB LNAME		GAL	11.66		Ď	Õ	Õ	Ô	Ô	Ô	ŏ	Ô	Ď	Ô	Ď	0 0.050	0 sec-Butyl Alcohol
BAR	02-01-92	GAL	8.63		ō	ō	0 0.030	Ď	Ō	Ô	0	Ď	Ô	Ď	Ď	0 0.270	0 Acetone
<b>42.</b>	***************************************	GAL	8.63		•	ō	0	Õ	Ŏ	ň	Ŏ	Ď	Ď	Ď	Ŏ	0 0.300	0 111 Trichlor
BAR LACQUE	R 02-01-92	GAL	8.42		0	0	0 0.120	Ď	0 0.086	Ô	0 0.020	Ď	Ō	Ď	Ō	0 0.320	0 Acetone
/==v =:0 <b>4</b> 02		GAL	8.42		•	Ö	0	ò	0	Õ	0	Ö	Ŏ	ū	ō	0 0.080	0 MRK
HOLD BNAMEL	04-30-92	GAL	7.90	56	442 0.023	10 0.300	133	0 0.250	111 0.021	9	0 0.010	4 0.010	i	Ď	Ō	0 0.008	4 Phenol
)LD	<b>05</b> -09-85	GAL	8.00	••	0 0.020	0	0	0 0,096	0 0.089	Ō	0	0	Ô	Ď	0	0 0.261	O MBK
'THINNER	<b>05</b> -09-85	GAL	7.60		0	0	0	0 0.259	1	Ô	0	Ď	Õ	Ŏ	Ď	0	0 nuac
3BLS	04-60-91	LBS	1.00	12	12	Ŏ	Ŏ	0	Ď	Ď	Ô	Ŏ	0	Ď	0 0.020	0 0.270	3 Chromium
7500	*** *** ***	LBS	1.00	12	12	n	o o	Ô	Ô	ň	Ô	Ô	Ď	ň	0	0 0.100	1 Cobalt
		LBS	1.00	12	12	n	n	Ô	Ď	Ď	Ô	Ď	0	Ô	ő	0 0.050	1 Copper
		LBS	1.00	12	12	٥	Ů	n	ń	ň	n	n	ň	ň	n	0 0.130	2 Manganese
		LBS	1.00	12	12	0	ň	^	^	٨	n.	۸	^	ń	0	0 0.380	5 Nickel
		LBS	1.00	12	12	0	0	Α.	٨	0	٥	۸	^	0	v	0 0.020	O Selenium
:0L0	09-22-86	GAL	6.99	12	0 0.050	0 0.150	0 0.350	0 0.150	٨	۸	0	۸	۸	^	•	0 0.020	o Senembra
	V3-44-80				0 0,000	0 0.130	0 0.330	0 0.130	V	V	0	٧	•	v	0	U	•
DNKS DNKS		LBS	1.00		V	Ü	0	0	Ü	U	Ü	U	U	v	Ü	0	0
	. At co on	LBS	1.00		0	Ü	•	•	v	V	Ü	Ü	V	Ü	0	V	Ų.
POWER PLAY		GAL	9.02	3	27	U	0	0 0.120	3	0	0	0	V	U	0	0	0
TER STAINLES		GAL	7.83	3	23	0	0	V	U	U	Ü	0	U	U	0	0 0.300	7 111 TCB
BLALR	01-00-33	GAL	7.50		0	0	0	0	0	0	0	0	D	0	0	0	0
LPROOF W911		CAL	9.07		0	0	0	0	0	0	0	0	0	0	0	0 0.005	O Ammonia
ORIC ACID	ND	GAL	9.91	2	15	0	0	0	0	0	0	0	0	0	0	0 1.000	15 Hydrochloric Acid
'ID	<b>08-</b> 07-78	GAL	11.73	2	18	0	0	0	0	0	0	0	0	0	0	0 1.000	18 Mitric Acid
) CARBIDE NI		LBS	1.00		0	0	0	0	C	0	0	0	0	0	0	0 0.180	0 Nickel
ALT ALLOY	11-22-65	LBS	1.00	3	3	0	0	0	0	0	0	0	0	0	0	0 0.500	2 Cobait
		LBS	1.00	3	3	0	0	0	0	0	0	0	0	0	0	0 0.320	I Chromium
		LBS	1.00	3	3	0	0	0	0	0	0	0	0	0	0	0 0.030	0 Manganese
BL BLECTROD	kS 11-00-85	LBS	1.00	12	12	0	0	0	0	0	0	0	0	0	0	0 0.041	O Mangauese
		LBS	1.00	12	12	0	0	0	0	0	0	0	0	0	0	0 0.300	4 Chronium
		LBS	1.0ú	12	12	0	0	0	0	0	0	0	0	0	0	0 0.490	6 Nickel
		LBS	1.06	12	12	0	0	0	0	0	0	0	0	0	0	0 0.014	0 Copper
-15BC	11-25-84	LBS	1.00		0	0	0	0	0	0	0	0	0	0	0	0 0.600	0 Copper
		LBS	1,00		0	Ò	0	0	0	0	0	0	O.	0	0	0 0,400	0 Zinc
SNATB	08-14-86	LBS	1.00	800	800	Ď	0	Ō	Ď	Ô	Ô	0	Ď	0	0	0 1.000	800 Zinc
STRAKATE	06-01-92	LBS	1.00	160	160	0	Ô	Ô	Ô	ň	ň	ů	n	ō	D.	0 0.900	144 Zinc
) CAREIDE CO		LBS	1.00	100	n	0	0	Ô	٨	٥	n	n	Ď	Ô	ň	0 0.250	0 Cobalt
, cumping or	IDM 07-01-03	LBS	1.00		0	0	0	0	0	0	0	0	n.	Û		0 0.025	0 Chromium
/LLO1					0	0	0	0	۸	٨	0	۸	۸	0	n	0 0.02	0 Curoming
IPPO!	At a true	LBS	1.00	6	Ů,	O O	0	0	0	0	٥	0	0	0	0	0 1.000	•
	04-01-86	LBS	1.00	0	0	-	•	V	V	V	0	V A	0	0	•	0 0.050	6 Copper
	<b>04-</b> 01-86	LBS	1.00		U	0	0	V	V	V	0	o n	0	O O	0 0.060		0 Manganese
		LBS	1.00		U	0	0	0	0	0	0	•	•	•	•	0 0.060	0 Chromium
		LBS	1.00		0	0	0	0	0	0	0	0	0	0	0	0 0.025	0 Copper

		LBS	1.00		0		0	0	0	0	0	0	0	0	0 0	)	0.008	0 Nickel
STAINLESS STEEL	04-01-86	LBS	1.00		0		0	0	0	0	0	0	0	0	0 0	)	0 0.300	0 Chromium
		LBS	1.00		0		0	0	0	0	0	0	0	0	0 0	)	0 0.270	0 Nickel
		LBS	1.00		0		0	0	Q	0	0	0	0	0	0 0	}	0 0.060	O Manganese
		LB3	1.00		0		0	0	0	0	0	0	0	0	0 0	)	0.060	0 Copper
		LBS	1.00		0		0	0	0	0	0	0	0	0	0 0	)	0 0.020	0 Cobalt
ALLOY STREE	04-01-86	LBS	1.00		0		0	0	0	0	0	0	0	0	0 0	0 0.020	0 0.050	0 Nickel
		LBS	1.00		0		0	0	0	0	0	0	0	0	0 0	)	0 0.050	0 Chronium
		LBS	1.00		0		0	0	0	0	Ô	0	0	0	0 0	J	0 0.020	0 Manganese
		LBS	1.00		0		0	0	0	0	0	0	0	0	0 0	)	0 0.010	0 Copper
		LBS	1.00		0		Ó	0	0	0	Ď	0	0	0	0 0		0 0.010	0 Lead
ALUMINUM ALLOYS	04-01-86	LBS	1.00	24	24		0	Ò	0	0	Ď	Ò	0	0	0 0		24 0.100	2 Copper
11201121011	** ** **	LBS	1.00	24	24		Ö	Ô	Õ	Ō	0	Ŏ	0	0	0 0		0 0.020	O Manganese
		LBS	1.00	24	24		Ď	Ŏ	0	ň	0	Ď	0	0	0 0		0 0,020	0 Cobait
		LBS	1.00	24	24		Ď	Ď	Ď	Ď	ň	Ď	0	Ď	0 0		0 0.100	2 Zinc
		LBS	1.00	24	24		ň	Ď	ň	Ď	ň	ñ	^	0	o d		0 0.005	0 Chromium
		LBS	1.00	24	24		Ď	Ŏ	ň	Ď	ň	0	n .	٥	n n		0 0.005	0 Nickel
		LBS	1,00	24	24		ň	ň	n	ň	Ď	Ď	Λ.	ñ	0 6		0 0.010	0 Lead
CARBON STEEL	04-01-86	LBS	1.00	120	120		ň	ñ	0	0	ň	ň	^	٥	0 0		1 0.020	2 Manganese
CHARGE STEEL	03-07-00	LBS	1.00	120	120		ň	ň	٨	, A	ň	0	N	ñ	0 0		0 0.010	l lead
BRONZE	04-01-86	LBS	1.00	6	6		۸	۸	٨	0	^	٨	V N	٨			1 0.990	
DEUNAL	A1_A1_00	LBS	1.00		8		۸	0	^	0	0	^	V N	٨			0 0.140	6 Copper 1 Nickel
			1.00	0	6		۸	٨	0	0	^	0	υ Λ	٨	٠ .		0 0.040	
		LBS LBS	1.00	0	6		^	۷ ۸	0	V	0	0	0	0			0 0.020	0 Manganese
				0	0		0	0	U	V	V	0	0	۷				0 Cobait
		LBS	1.00	6	0		U	V	U A	U	U	U	Ų	Ų.	υ ι		010.0	0 Line
	•	LBS	1.00	6	b		U	U	Ü	U	0	U	U	0	0 (		0 0.010	0 Lead
BRAssi	<b>04-</b> 01-86	LBS	1.00		U		0	V	0	0	0	0	0	U	0 (		0 0.700	0 Copper
		LBS	1.00		U		0	U	0	Ü	Ü	0	U	0	0 (		0 0.400	0 Zinc
_		LBS	1.00		0		0	0	0	0	0	0	0	0	0 (		0 0.040	0 Lead
NICKEL BASED ALLOY	04-01-86	LBS	1.00	18	18		0	0	0	0	0	D	0	0	0 0		1 0.480	9 Chromium
		LBS	1.00	18	18		0	0	0	0	0	0	0	0	0 (		0 0.680	12 Copper
		LBS	1.00	18	18		0	0	0	0	0	0	0	0	0 (		0 0.150	3 Cobalt
		LBS	1.00	18	18		0	0	0	0	0	0	0	0	0 (		0 0.050	I Manganese
		LBS	1.00	18	18		0	0	0	0	0	0	0	0	0 (	)	0 0.990	18 Nickel
150 SOLVENT	04-10-86	GAL	8.22	5	41		0	0	0	0	0 0.090	4	0	0	0 0	j	0	0
KOLACK WHITE A 4811		GAL	9.98	95		0.046	44	0	0 0.041	39 0.004	4	0	0	0	0 (	)	0	0
SP-1103 WAX	07-07-88	LBS	1.00	5404	5,404		0	0	0	0	0	0	0	0	0 (	J	0	0
AMR-12 WAX	07-31-91	LBS	1.00	3444	3,444		0	0	0	0	0	0	0	0	0 (	)	0	0
IL-320-1528/45	08-25-93	GAL	8.65				0	0	0	0 0.610	0	0	0	0	0 (	ð	0	0
866-027-0003 DUO CLRA	R 09-22-93	GAL	8.05				0	0	0 0.237	0	0	ی 0	0	0	0 (	٥	0	0
5061041 GOLD	12-14-90	GAL	7.34			0.05	0 0.15	0	0 0.15	0 0.05	0	0 0.01	1	0	0 (	J	0	0
RESINOID BONDED CRIM	0 02-11-92	LBS	1.00				0	0	0	0	0	0	Destangle	0	0 - 1	0 0.900	0	0
GRIND-O-PLBX	06-30-92	LBS	1.00				0	0	0	0	0	0	Contract of	A MAN	0 (	0 0.600	0	0
CERTANIUM 701 ALLOY	06-23-88	LBS	1.00		0		0	0	0	0	0 .5.	4			1. 2 2 1		0.0010	0 Manganese
								å <b>b</b> led	و معطال المانية	يقف عار ما			400				11	Same of the

28-Jun-94

TOTAL

• • •

**56.**3

17784.6

17922.0

834.5

**36.**1

2153.1

8.0 \ 879960.1

25970.0

	30101 		1 .4107	0,00	non	1	050	OIIV	****	1111-1							
аи <b>н</b> н на	387	11NG/81	19101	030	NON	. 001	d3\$	อก∀	301	NOC	YAn	294	. 요하다	833	N01		N01181800
(†:	6#0,7	57.4	7601	501	Şέ	51	८५	123	120	110	36	¿¢	<u> </u>	26	067	· 	Mek
			: 525	5	83		50	150	39	д <del>о</del>	10	ç	150	70	0.6	· 80 8	3PT2 [00]
		1 83.7	1 721						51	Þ6	31	01					3H13 7004
	<b>→</b> 762,92	10,5	of1+	220	044	321	074	069	280	136	345	623	335	917	100		LMBATOS F
			1 52				55		50								183 1813:
			10						10								U 307811
			; 5								5					,	WEALDS (
			282	ÛÞ	ć		S	11	<b>9</b> 5		۷	21	<b>9</b> 7	\$6	20		00038 14:
	₩581,71 =	95'11	767	pb	τĹ	ġ9	26	ΥII		971	iεs	<b>#</b> 8	113	95	003		— 91-04-3 
	₩118,25		1 8882			52		\$24	1520	703	500	017	160	180	59		M618 M018
	\$76° TS	11.82	4262	916	949	929	9 <b>0</b> 1	152	89	121	ĪÞĪ	204	158	263	60		201-124-0
	282	LS 6	05		15				13		L	ē ē	675				205-12M-9
		10.24	16								,	0	61			701 OM6 1	
		65.0	ŞŢ	ç	ŝ	ς							7. <b>T</b>				3 7510545
	5,209	69.11	186	<u> 1</u> T	84	2			ξ		98		ÚΪ	35			X 9202941
7 <b>7 7</b>		50.5	50		01						ST			50			6310 to:
	<b>∕</b> €00'01 -	75.7	1551	68	₽ <sub>©</sub> Ţ	47	121	19	246	391	122	ΞĬ	<b>†</b> §	5¢	Þ\$		~ 27~c
	] J63°3	3,20	0901	þ9	92	01	32	20	38		10	ρĮ	591	\$3 5:	SI	— 3×361 M	
	1.8919	61 1	680	ē₽	54	011	St	ζĒ	120		þ!	90T	ē Ģ Ţ	92	011		7-10-0ET
	1 374		56	è	ΡŢ	21	ક								99	~ 1700 3.	
5.65		10.5	09	21	Ŝ	21			ī		2	81		7	2		MIT 2131.
	277	06.1	; eē				01		22			Z		77	_	750-908	
1551		1 5011	\$075		09Z	526	11		730		395	653	112c	999 999	995		-102 MBX
1931	5,444		\$445		199	136	879		6171		271			231			X58 [T.
150			1 51	ī	5				ς						Ş		0100 £1.
394	798'T		002	12	13		50	50	95				!3	6	15	1:39 4700	

ed cark

1

908184184 308184184	JAN	FE8	MAR	<u>498</u>	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	  TETAL 185
UMINUR SLUCS	47,757	65,662	102,141	88,897	94,759	23,073	92,960	40,891	115,922	76,240	70,550	70,390 MAXIMUM ON HAND	379,242 ~ 207,754